


Perryfields Enterprise Academy Trust

Allergy and Anaphylaxis Policy



Adapted From:	Anaphylaxis UK model policy
Reviewed:	June 2026
Approved By:	P.E.A.T Board
Approved Date:	9 th July 2026
Review:	Every 3 years
Next Review Date:	June 2029
Communicated to Staff	By: Email Date: 13 th July 2026
Published on:	PJS website

SUMMARY OF CHANGES – May 2026	
Section	Detail
	New Policy

Contents

1. Introduction
2. Roles and responsibilities
3. Allergy action plans
4. Emergency treatment and management of anaphylaxis
5. Supply, storage and care of medication
6. 'Spare' adrenaline auto-injectors in school
7. Staff training
8. Inclusion and safeguarding
9. Catering
10. School trips
11. Allergy awareness and nut bans
12. Risk assessment
13. Useful links

1. Introduction

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more serious reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include foods, insect stings, and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure. Anaphylaxis symptoms are often referred to as the ABC symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but are not limited to):-

- peanuts, tree nuts, sesame, milk, egg, fish, latex, insect venom, pollen and animal dander.

This policy sets out how Perryfields Junior School will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

2. Role and responsibilities

Parent Responsibilities

- On entry to the school, it is the parent's responsibility to inform reception staff of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. School nurse/GP/allergy specialist.
- Parents are responsible for ensuring any required medication is supplied, in date and replaced as necessary.
- Parents are requested to keep the school up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly.

Staff Responsibilities

- All staff will complete anaphylaxis training. Training is provided for all staff on a yearly basis and on an ad-hoc basis for any new members of staff.
- Staff must be aware of the pupils in their care (regular or cover classes) who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.
- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.
- The First Aider (*office staff*) will ensure that the up-to-date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure all medication is in date however the First Aider (*office staff*) will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- The First Aider (*office staff*) keeps a register of pupils who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAI(s) and emergency treatment given.

Pupil Responsibilities

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.

3. Allergy action plans

Allergy action plans are designed to function as individual healthcare plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto-injector.

Perryfields Junior School recommends using the British Society of Allergy and Clinical Immunology ([BSACI Allergy Action Plans](#)) to ensure continuity. This is a national plan that has been agreed by the BSACI, Anaphylaxis UK and Allergy UK.

It is the parent/carer's responsibility to complete the allergy action plan with help from a healthcare professional (e.g. GP/School Nurse/Allergy Specialist) and provide this to the school.

4. Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes
- stomach pain or vomiting.

More serious symptoms are often referred to as the ABC symptoms and can include:

- AIRWAY - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).
- BREATHING - sudden onset wheezing, breathing difficulty, noisy breathing.
- CIRCULATION - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment, and it starts to work within seconds.

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the child where they are, call for help and do not leave them unattended.
- **LIE CHILD FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe but this should be for as short a time as possible.
- **USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- CALL **999** and state **ANAPHYLAXIS (ana-fil-axis)**.
- If no improvement after 5 minutes, administer second AAI.
- If no signs of life commence CPR.
- Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the child where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

5. Supply, storage and care of medication

For younger children or those not ready to take responsibility for their own medication, there should be an anaphylaxis kit which is kept safely, not locked away and **accessible to all staff**.

Medication should be stored in a suitable container and clearly labelled with the pupil's name. The pupil's medication storage container should contain:

- One AAls i.e. EpiPen® or Jext® or Emerade®
- An up-to-date allergy action plan
- Antihistamine as tablets or syrup (if included on allergy action plan)
- Spoon if required
- Asthma inhaler (if included on allergy action plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the First Aider (office staff) will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant AAls their child is prescribed, to make sure they can get replacement devices in good time.

Older children and medication

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can

come on **very suddenly**, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAIs should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAIs are single use only and must be disposed of as sharps. Used AAIs can be given to ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin. Sharps bins to be obtained from and disposed of by a waste management company. The sharps bin is kept in the first aid room opposite the school office.

6. 'Spare' adrenaline auto-injectors in school

Perryfields Junior School has purchased a spare **AAI for emergency use in children who are risk of anaphylaxis**, but their own devices are not available or not working (e.g. because they are out of date).

These are stored in a clear plastic pack, clearly labelled 'Emergency Anaphylaxis Adrenaline Pen', kept safely, not locked away and **accessible and known to all staff**.

Perryfields Junior School holds one spare pen which are kept in the following location: **First Aid Room**

The First Aider (*office staff*) are responsible for checking the spare medication is in date and to replace as needed.

Written parental permission for use of the spare AAIs is included in the pupil's allergy action plan.

If anaphylaxis is suspected **in an undiagnosed individual** call the emergency services and state you suspect ANAPHYLAXIS. Follow advice from them as to whether administration of the spare AAI is appropriate.

7. Staff Training

The named staff members (at least 2) responsible for co-ordinating staff anaphylaxis training and the upkeep of the school's anaphylaxis policy are:-

- **Samantha Edwards**
- **Lauren Leonard**

All staff will complete online National Online Safety anaphylaxis training at the start of every new academic year. Training is also available on an ad-hoc basis for any new members of staff.

Training includes:

- Knowing the common allergens and triggers of allergy
- Spotting the signs and symptoms of an allergic reaction and anaphylaxis. Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAI's) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance, knowing who is responsible for what
- Managing allergy action plans and ensuring these are up to date
- A practical session using trainer devices (these can be obtained from the manufacturers' websites: www.epipen.co.uk and www.jext.co.uk and www.emerade-bausch.co.uk)

8. Inclusion and safeguarding

Perryfields Junior School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

9. Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school menu is available for parents to view weekly in the school newsletter and an allergen list can be requested from the school office.

The School First Aider will inform the Catering Manager of pupils with food allergies.

Parents/carers are encouraged to meet with the Catering Manager to discuss their child's needs.

The school adheres to the following [Department of Health guidance](#) recommendations:

- Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.
- If food is purchased from the tuck shop, parents should check the appropriateness of foods by speaking directly to the catering manager.
- The pupil should be taught to also check with catering staff, before purchasing food or selecting their lunch choice.
- Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.
- Food should not be given to primary school age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats).
- Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be

restricted/risk assessed depending on the allergies of particular children and their age.

10. School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

11. Allergy awareness

A 'whole school awareness of allergies' ensures teachers, pupils and all other staff are aware of what allergies are, the importance of avoiding the pupils' allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

Although no school could guarantee a truly allergen free environment for a child living with food allergy, Perryfields Junior School does not provide nuts in any food consumed on the premises and encourages parents to refrain from sending children into school with nut-related products.

12. Risk Assessment

Perryfields Junior School will conduct a detailed individual risk assessment for all new joining pupils with anaphylaxis allergies and any pupils newly diagnosed, to help identify any gaps in our systems and processes for keeping allergic children safe (see appendix).

13. Useful Links

Anaphylaxis UK Safer Schools Programme -

<https://www.anaphylaxis.org.uk/education/safer-schools-programme/>

AllergyWise for Schools (including certificate) online training -

<https://www.allergywise.org.uk/p/allergywise-for-schools1>

BSACI Allergy Action Plans - [https://www.bsaci.org/professional-](https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/)

[resources/resources/paediatric-allergy-action-plans/](https://www.bsaci.org/professional-resources/resources/paediatric-allergy-action-plans/)

Spare Pens in Schools - <http://www.sparepensinschools.uk>

Department for Education Supporting pupils at school with medical conditions -

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/803956/supporting-pupils-at-school-with-medical-conditions.pdf

Department of Health Guidance on the use of adrenaline auto-injectors in schools -

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/645476/Adrenaline_auto_injectors_in_schools.pdf

Food allergy quality standards (The National Institute for Health and Care Excellence, March 2016) <https://www.nice.org.uk/guidance/qs118>

Anaphylaxis: assessment and referral after emergency treatment (The National Institute for Health and Care Excellence, 2020)

<https://www.nice.org.uk/guidance/cg134?unlid=22904150420167115834>

Allergy Management Risk Assessment for Individual Students

This form should be completed by the setting in liaison with the parents/guardian and the student if appropriate. It should be shared with everyone who has contact with the student. It should be read alongside the student's Health Care Plan that has been produced the Allergy clinic. A whole school approach is recommended in the management of allergy which would involve all staff to have awareness training in addition to key staff having adrenaline autoinjector (AAI) training.

Child/Young person: Click or tap here to enter text.	Date of Birth: Click or tap here to enter text.
Setting/School: Click or tap here to enter text.	Key Worker/Teacher/Tutor: Click or tap here to enter text.
Allergies: Click or tap here to enter text. Are reactions: Ingestion Click or tap here to enter text. Direct contact: Click or tap here to enter text. Indirect contact: Click or tap here to enter text.	
G.P: Name: Click or tap here to enter text. Phone number: Click or tap here to enter text.	Clinic/Hospital: Name: Click or tap here to enter text. Phone number: Click or tap here to enter text.
Date: Click or tap here to enter text.	Review date: Click or tap here to enter text.
Who is responsible for providing support in school: Click or tap here to enter text.	
People involved in writing this plan: Click or tap here to enter text.	
Signatures: Setting Manager/Head teacher: Young person: I give permission for this risk assessment to be shared with anyone who needs this information to keep my child/young person safe, I give permission for my child's photograph to be displayed sensitively to keep my child safe, I give permission for the school's 'spare' AAI to be used on my child in an emergency where anaphylaxis is suspected. Parents: Date: Click or tap here to enter text. Date: Click or tap here to enter text.	

Complete this risk assessment in discussion with the parent/guardian, student if appropriate and medical professional if available. Consider all situations that the student may be in and agree control measures. Use the risk analysis tool at the end of the document to assess probability and impact producing further control measures if necessary. This is intended to be dynamic document and should be updated annually or after an incident or near miss.

Can the student recognise a reaction for themselves?

What have been the symptoms of previous reactions?

What are the hazards for each activity?

What are you already doing to control the risks?

Probability

Impact

Medication:

Storage:

Location of child's medication

Location of generic 'spare' AAI

Food and drink:

Break time snacks including drinks

Lunch time:

Hot meals

Sandwiches Drinks			
Events involving food: Cake sales Parties Other PTA events Drinks			
Celebrations: e.g. Birthdays, Easter			
What are the hazards for each activity?	What are you already doing to control the risks?	Probability	Impact
Curriculum activities:			
Cooking			

Creative activities: e.g. junk modelling, pasta			
Music: instrument sharing (cross contamination issue)			
Science activities:			
PE: Indoor Outdoor Forest Schools			
Playtime: Playground			

Field			
Offsite activities:			
Curriculum visitors Day trips			
Residential visits			
Other:			

This must be completed for any activity that is medium with the aim of bringing the risk to LOW.

Activities that are High or Extreme must not happen unless action can be implemented to bring the risk to LOW.

Hazard	What further action do you need to take to control the risks?	Who needs to carry out the action?	What is the action needed by?	Completed

Consequence		Minor	Moderate	Major	Critical	Catastrophic
Likelihood	Rare	Low	Low	Low	Low	Low
	Unlikely	Low	Low	Medium	Medium	Medium
	Possible	Low	Medium	Medium	High	High
	Likely	Medium	Medium	High	High	Extreme
	Certain	Medium	Medium	High	Extreme	Extreme

Consequence	Minor	Moderate	Major	Critical	Catastrophic
-------------	-------	----------	-------	----------	--------------

This is the impact of the action being allowed to happen	No reaction	Non anaphylactic reaction	Emergency response required, ambulance and hospital	Emergency response required, ambulance and hospital	Fatal, Death
--	-------------	---------------------------	---	---	--------------

Likelihood	Definition
Rare	May only occur in exceptional circumstances
Unlikely	Could occur in some circumstances, surprised if happened
Possible	Possible or likely to occur in most circumstances
Likely	Will occur in most circumstances
certain	It is expected to occur, inevitable